



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/617,037	07/11/2003	Avner Spector	26141	3067
7590 09/01/2005			EXAMINER	
G.E. EHRLICH (1995) LTD. c/o ANTHONY CASTORINA SUITE 207 2001 JEFFERSON DAVIS HIGHWAY ARLINGTON, VA 22202			SMITH, RUTH S	
			ART UNIT	PAPER NUMBER
			3737	
DATE MAILED: 09/01/2005				

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/617,037	Applicant(s) SPECTOR, AVNER	
	Examiner Ruth S. Smith	Art Unit 3737	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 19 May 2005.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-18 is/are pending in the application.
4a) Of the above claim(s) 15-18 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-14 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 11 July 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☒ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Election/Restrictions

Claims 15-18 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected species, there being no allowable generic or linking claim. Election was made **without** traverse in the reply filed on 5/19/05. It should be noted that applicant listed claims 1-15 as reading on the elected embodiment, however, claim 15 is directed to a non-elected species.

Specification

The disclosure is objected to because of the following informalities: On page 1, applicant should update the status of the continuing data. The continuing data is inconsistent with that provided in the parent application. On page 19, paragraph 126, "varying" is misspelled. Appropriate correction is required.

The abstract of the disclosure is objected to because it is not directed to the claimed invention. Correction is required. See MPEP § 608.01(b).

Claim Objections

Claims 1-14 are objected to because of the following informalities: In claim 1, it is unclear as to what structure the sides as set forth on line 15 are referring to. Claims 3-6 are confusing in that it is unclear as to how curvatures and focusing characteristics can include the features set forth. Appropriate correction is required.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cline et al in view of applicant's admission of the prior art. Cline et al disclose a

Art Unit: 3737

pressure-pulse therapy apparatus having a disk-like acoustic lens (410,600) made from a polymer material which includes a center section that can include a cutout and a plurality of ring sections. The lens is included in a fluid medium and coupled to a pressure pulse source 80. Cline et al disclose all of the claimed structure except for the flexible membrane, the specifics of the type of source used and the manner in which the lens is designed. Applicant discloses that it is known to use a flexible membrane capping off the end of an enclosure in which the source and fluid are placed. It would have been obvious to one skilled in the art to have used such a membrane in Cline et al in order to properly couple housing 70 to the patient and prevent the fluid from leaving the enclosure. In the absence of any showing of criticality, the type of source used would have been an obvious selection of known equivalents in the art and the manner in which the curvature of the reflector is chosen would have been a matter of design choice of known equivalents in the art. It should be noted that the apparatus of Cline et al would inherently include a power supply for the source to properly operate. It appears that the lens disclosed by Cline et al would inherently result in the limitations set forth in claims 6,7. With respect to claim 10, in the absence of any showing of criticality or unexpected results, the specific shape of the ring sections would have been an obvious design choice of known equivalents in the art.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ruth S. Smith whose telephone number is 571-272-4745. The examiner can normally be reached on M-F 7:30 AM-4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Casler can be reached on 571-272-4956. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3737

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Ruth S. Smith
Primary Examiner
Art Unit 3737

RSS